

GOVERNMENT OF MANIPUR
POLICE DEPARTMENT,
DIRECTOR GENERAL OF POLICE,
MANIPUR POLICE HEADQUARTERS,
IMPHAL-795001
(Fax No. 0385-2449825 & 09385-2442048)

Open Tender No. PR-18/44/2009-10/PHQ (Pt)

Dated the 23rd February, 2010

1. The Police Department, Government of Manipur intends to purchase 10 nos of Bullet Proof 407 Vehicles and 12 nos of Bullet Proof Gypsies under the scheme for Modernization of State Police Forces, 2009-10. As per MHA's letter No. 21011/26/2010-PM-I dated 21/1/2010 and read with Home Department, Government of Manipur letter No. 3/6(2)/2009-10/H dated 6/2/2010, the Director General of Police, Manipur invites Open Tender in 2(two) bids system to all intending reputed and registered firms /manufactures/Factories/Fabricators for supply of B.P. 407 and B.P. Gypsies as detailed in the **schedule**. Tender will be received by the undersigned upto **1 p.m. of 15/3/2010** and will be opened on the same day at **3 p.m.** in presence of the Tenderers/their representatives if any, at PHQ, Imphal. **Rates should be quoted inclusive of both base vehicle and without base vehicle and F.O.R. ,Imphal with inclusive of all taxes and transportation charges if any.**

2. The complete Tender set is available from the office of the Director General of Police/Inspector General of Police (Adm), Police Headquarters Manipur, Imphal-795001, or from the offices of Dy. Resident Commissioners, Govt. of Manipur (1) Manipur Bhavan, Chanakyapuri, Sardar Patel Marg, New Delhi ,(2) Manipur Bhavan, 26 Rowland Road (near Ballygunge), Kolkata and (3) Manipur Bhavan, Guwahati on any working day or the same may be down loaded from the Police Website **www.manipurpolice.org.**

(Y. Joy Kumar Singh),
Director General of Police,
Manipur, Imphal.

Endst No. PR-18/44/2009-10/PHQ (Pt)/

Imphal, the 23rd February, 2010

. Copy to:-

1. The Commissioner(Home) Govt. of Manipur.
2. The Dy. Resident Commissioners, Govt. of Manipur
 - i) Manipur Bhavan, Chanakyapuri, Sardar Patel Marg, New Delhi.
 - ii) Manipur Bhavan, 26 Rowland Road (near Ballygunge), Kolkata.
 - iii) Manipur Bhavan, Guwahati.
3. The Director, Information & Public Relations, Manipur, Imphal.
 - He is requested for insertion in the National News Papers (Kolkata and New Delhi Edition for 2 days consecutively.).
4. The Director MPR - He is requested to publish the Tender Notice with Schedule in the Manipur Police Web site- **www.manipurpolice.org.**
5. Approximate Tender value is Rs.400.00 lakh only for the Year (2009-10) Additional fund .

Sd/-
(Y. Joy Kumar Singh),
Director General of Police,
Manipur, Imphal.

Terms and Conditions

1. Earnest Money of 2% of the value in the form of DD/Deposit-at-call drawn in favour of the Inspector General of Police (Adm), Manipur, Imphal and the following clearance Certificates be submitted along with the Tender so as to reach PHQ upto **1 p.m. 15/3/2010** .
 - a) Valid VAT clearance certificate with the TIN Number (duly attested).
 - b) Valid VAT registration certificate (duly attested).
 - c) Valid Central Sales Tax registration certificate (duly attested).
 - d) Valid Dealership certificate/authority from the manufacturer/Authorized dealer (duly attested).
2. If the Tendered happens to be any type of Firm /Manufacturer /Fabricator or any organized body only such person(s) who are legally competent to sign should sign the concerned papers such as the Bids/Tenders, Contract Deed etc. on behalf of the firm/Manufacturer /Fabricator or any organized body. Such person(s) shall furnish an undertaking making him and such other functionary as also the firm responsible jointly and individually on all connected matters. Failure to do will result in right to rejection of offer without any notice and compensation.
3. The rates should be quoted both in figure and words mentioning the taxes and other charges specially. If any Tender is withdrawn before that date the earnest money will be forfeited and such Tender will be debarred from tendering for any supply/contract in the Department for a period of 2 (two) years.
4. The quantities to be purchased may increase or decrease as per the availability of funds released by MHA. Catalogue/Sample of the items wherever possible shall also be submitted. The successful Tenderer will be required to furnish security deposit @ 10% of the total value of items to be supplied for the fulfillment of his contract in the form of DD/Deposit-at-call drawn in favour of the Inspector General of Police (Adm), Manipur, Imphal .
5. The successful Bidder/supplier shall ensure to supply the items as per time schedule mentioned in the Supply order.
6. In the event of rejection, failing, declining, neglecting or delaying to company with any demand or requisition, the Department will be at liberty (without prejudice to any other remedy the Department may resort to on account of any claim for compliance and failure to abide by the supply schedule) to cancel the Tender.
7. The Police Department reserves the right to enhance or reduce the the curity deposit at any time till the placing of supply orders on the successful bidder/Tenderer.
8. The Police Department also reserves right to terminate any or all Tender without assigning any reason, whatsoever by giving 15 days notice in writing and is also bound to accept the lowest tender without assigning any reason thereof
9. In case of dispute on any matter arising out of the contract, decision of the arbitrator appointed by the Government of Manipur will be binding on both parties.
10. Any further information required in this regard may be obtained on application on any working day from Inspector General of Police (Adm), Imphal, Manipur.

Sd/-
(Y. Joy Kumar Singh),
Director General of Police,
Manipur, Imphal.

--

SCHEDULE OF ITEMS TO BE SUPPLIED

Sl. No.	Name of item	Qty	Specifications
1.	Bullet Proof 407	10	<p>► Dimensions:-</p> <ul style="list-style-type: none"> ► Length -5090mm ► Width -1985mm ► Height -2750mm ► Ground Clearance -450mm ► Speed -80 KMPH Max ► Patrol Speed -50 KMPH ► Kerb Weight after Bullet Proofing -4700 Kgs ► Seats -8 + 2 ► Protection Level ► Small Arms -7.62 Rifles firing from a distance of 10 meters on all sides of the vehicle. <p>Rotating Turret provided on the roof with for firing from LMG/MMG.</p>
2.	Bullet proof Gypsies	12	<p>1. There is a requirement of armoring the modified / fabricated MARUTI GYPSY vehicle into bullet proof vehicle, using armor steel to be able to withstand specified threat perception level NIJ – III. The armoring carried out using opaque and transparent armor suitable for operation.</p> <p>2. BP Gypsy Vehicle Armoring Details:</p> <ul style="list-style-type: none"> a. Front windscreen: In place of windscreen glass a bullet resistant front windshield glass as per EN 1063 shall be provided along with wiper. Glasses shall be fixed with suitable adhesive. b. Engine compartment: Fire wall: At the rear of the engine in the engine compartment the armored firewall shall provided protection to the occupants from frontal attack. c. Side door: The side door of cabin shall be provided with fixed BP Glass on both driver and co-riverside. The bottom of the door shall be provided with Armor steel protection. d. Rear (Middle) Side: Both the sides of the vehicle will be

			<p>provided with Armor plates having 2 Firing ports and 2 viewing glass on each side. Side of the vehicle shall be fabricated using structural mild steel.</p> <ul style="list-style-type: none"> e. Roof: The roof of the vehicle shall be provided with single Armor Steel give protection against 45 deg angle of attack. The panel shall be integrated on to the roof appropriate bonding agents. f. Rear Side: Rear side of the vehicle has one door with viewing glass port along with firing port to be provided. g. Seat: Seating shall be as per the Original Equipment Manufacturer's arrangement. h. Interior: The interior of troop compartment shall be covered with suitable rexine material. <p>3. PAINTING: Shall be as per OEM paintings.</p> <p>4. ARMOUR MATERIAL:</p> <ul style="list-style-type: none"> a. Steel armor: Suitable steel armor with required thickness shall be used in all places where ever glass is not used. b. Bullet resistant glass: Suitable bullet resistance glass with required thickness shall be used after approval of the materials subjected to ballistic performance trails. This be a laminated glass conforming to desired requirements. 1 windscreen glass, 2 Door Glasses, 4 viewing Glasses and 1 rear viewing glass will be provided. <p>5. Suspension Modification: Extra Heavy Leaf Springs to be installed for gaining comfort in the front & rear suspension.</p> <p>6. Modification to Hinges: Heavy Door Hinges to be installed after extra weight is put on the doors.</p> <p>7. IMMUNITY LEVEL:</p> <ul style="list-style-type: none"> ▪ Top: Withstand direct hits of 7.62mm SLR and 7.62mm AK47 / 56 rifles against 7.62 x 39mm AK-47 rounds with bullet configuration of bullet at an angle of 45 degrees. ▪ All sides: Withstand direct hits of 7.62mm SLR and AK 47/56 at a
--	--	--	---

			<p>distance of 10 m at an angle of 90 degrees.</p> <ul style="list-style-type: none"> ▪ All Glasses: Withstand direct hits of 7.62mm SLR and AK 47/56 at a distance of 10 m at an angle of 90 degrees. ▪ Bottom and under carriage: Occupants shall be protected from the bottom against blast of hand grenade HE – 36 / DM 51 or equivalent. The floor ballistic carpet shall be provided with aramid carpet. <p>8. INSPECTION & ACCEPTANCE: The bullet proof vehicle can be subjected to stage inspection & confirming, to specification and drawing. The inspection shall be carried out as per the acceptance plan.</p> <p>9. WARRANTY: The armored material shall be replaced free of cost for 1 year in the unlikely event of any manufacturing defects. Beyond 2 years, replacement against payment up to 10 years from the delivery of the vehicle if required.</p> <p>10. VEHICLE LEVEL TEST (Prototype): Design validation: One Bullet Proof Maruti Gypsy (Prototype) vehicle has to get validated at VRDE Ahmednager for Post Armoring Performance Analysis and Road Worthiness to check various functional requirements.</p> <p>11. The bullet proof steel armor sample is considered acceptable if: The bullet NATO ball soft (lead) when fired from 7.62mm rifle or any other threat mentioned in the treat specifications, from a distance of 10m with a single shot manual operation zero degree and perpendicular firing does not pierce through the plate. The plates shall be tested with minimum 5 rounds of fire and glass shall be tested with three rounds of fire as per EN 1063.</p>
--	--	--	---

Sd/-
(Y. Joy Kumar Singh),
 Director General of Police,
 Manipur, Imphal.
